

# Cumulative Index 1989

Volume 8

<i>January</i>	<b>EMERGENCY TREATMENT OF THE INJURED ATHLETE, pages 1-152</b>
<i>April</i>	<b>PATELLOFEMORAL PROBLEMS, pages 153-360</b>
<i>July</i>	<b>OFFICE PRACTICE OF SPORTS MEDICINE, pages 361-632</b>
<i>October</i>	<b>REHABILITATION, pages 633-902</b>

Note: Page numbers of article and issue titles are in boldface type.

- Abdomen, wall of, penetration of, in sports-related trauma, 91
- Abdominal trauma, blunt, 92
- emergency room evaluation in, 92-93
- hollow viscus in, 96
- liver damage in, 94
- pancreas in, 95
- penetrating, 91-92
- renal damage in, 94-95
- splenic injury in, 93-94
- sports-related, 91-99
- Acetazolamide, in high-altitude pulmonary edema, 75
- Achilles tendinitis, 470-471, 556, 866
- Acromioclavicular joint, injuries to, 435
- corticosteroids in, 546-547
- Adolescent, anterior knee pain in, 332
- extensor mechanism of, stress injuries of, 343-355
- quadriceps tendinitis in, 344
- Adson's test, in shoulder injuries, 428
- Adults, preparticipation physical examination of, 376
- Aerobic exercising, diseases contraindicating, 395
- Age athlete, age-related changes in, 893-895
- deformities of, and joint pain in, 898-899
- evaluation of, 897-899
- exercise considerations for, 895-897
- flexibility of, assessment of, 898
- muscle strength of, assessment of, 897-898
- rehabilitation of, special considerations during, 893-901
- risk factors for, 897
- stress testing of, 898
- treatment of, 899-900
- Aging, structural changes in lumbar spine in, 67
- Air-stirrup brace, 513
- Airway(s), maintenance of, equipment for, in team physician's bag, 143
- obstruction of, in exercise-induced bronchospasm, 72
- in maxillofacial injuries, 11-12
- stabilization of, in head injury, 3
- Alcohol, use, among high school students, 129
- by athletes, 134-135
- chronic, 136-137
- use by athletes, 566-567
- Allergic problems, seasonal, association with athletics, 76-77
- Ambulance, availability, at athletic events, 145
- Amphetamines, 563-564
- Amputation, following sports-related injury, 101
- Anaphylaxis, exercise-induced, 73-74
- food- and exercise-induced, 74
- Anarthrotic disorders, of patellofemoral joint, role of radiography in, 283-286
- Anesthetics, local, in team physician's bag, 141
- Ankle, anatomy of, 477-479
- biomechanics of, 479

## Ankle (Continued)

- computed tomography of, 526
- injury(ies) of, acute, treatment and rehabilitation in, 487-492
  - assessment of, 480-482
  - bracing for, 511-514
  - in children, 485-486
- lateral, ligamentous injuries of, 867-871
- magnetic resonance imaging of, 533
- motion of, restraints of, 480
- sprains of, classification of, 486-487
  - classification of injury in, 878-879
  - corticosteroid therapy in, 557-558
  - differential diagnosis of, 488-489
  - evaluation of, 879-880, 881, 882, 883
  - mechanism of injury in, 877-878
  - office management of, 477-495
  - pathomechanics of, 479-480, 481
  - prevention of, 887-889
  - rehabilitation of, 877-891
  - treatment and rehabilitation of, 882-887, 888
- Ankle joint, radiologic evaluation of, 522
- Ankle stabilizer, laced, 514, 515
- Antianxiety agents, misuse of, by athletes, 134
- Antibiotics, in team physician's bag, 140
- Anti-inflammatory agents, in team physician's bag, 140
- Aortic root, dilated, from cystic medial necrosis, sudden death in, 83
- Apley test, in knee problems, 455-456
- Apophysitis, Scheuerman's ring, 413-414
- Arch(es), immobilization of, in bony fractures, 32, 33
- Arrhythmias, sports participation in, 87
- Arteriography, in limb-threatening injuries, 103, 104
- Artery(ies), coronary, congenital anomalies of, sudden death in, 84-86
  - vertebral, injury to, in cervical spine injuries, 48
- Arthrography, of patellofemoral joint, 233-240
- Arthroplasty, total knee, patellar complications of, 336-338
- Arthroscopy, versus radiography, of patellofemoral joint, 245-246
- Arthrotomography, computed tomography, 526-528
- Asthma, exercise-induced bronchospasm in, 71-72
- Atherosclerotic heart disease, coronary, cardiac emergencies in, 86-87
- "Athlete heart", 82
- Athlete(s), aged. *See Aged athlete.*
  - cervical spine injuries in, management of, 43-58
  - drug-related emergencies in, 129-138
  - head injuries in, 1-9

- injured, acute cardiac emergencies in, 81-90
  - acute respiratory emergencies in, 71-79
  - low back pain in, 59-68
  - symptomatic lumbar spine in, 59-60
- Athletic activities, classification program for, 393
  - disqualifying conditions for, 394
- Athletic participation, following minor head injury, 6

- Back, injuries of, bracing for, 500-501, 502
  - low, injuries of, in athletes, classification of, 728
  - muscular problems in, 725-728
  - pain in. *See Low back pain.*
- Bennett's fracture, 746, 747
- Biceps tendinitis, 435-436
- Bicycling, abdominal trauma in, 96
- Biofeedback, electromyographic, in quadriceps femoris weakness, 828
- Bipartite patellae, 347-348, 349
- Bleeding, in maxillofacial injuries, 12
  - in soft-tissue injuries of neck, 22
- Blisters, in runners, 473
- Bone, mass, decreased, with age, 894
- Bone grafting, in bony fractures of face, 34
- Bone scans, of patella, 251-253
- Boston module, in treatment of pars stress reaction, 60-61
- Boutonniere deformity, 756-758
- Boxing, head injury in, 4, 5
- Brachial plexus injuries, return to participation following, 693-694
- Bracing, and taping in office sports medicine practice, 497-516
  - for ankle injuries, 511-514
  - for back injuries, 500-501, 502
  - for elbow injuries, 502-504
  - for hand injuries, 504-507
  - for knee injuries, 507-511, 512
  - for neck injuries, 498-500
  - for shoulder injuries, 502, 506
  - in patellofemoral subluxation, 272-273
  - in spondylolysis, 61-62
  - rehabilitative, 498, 515
- Bronchospasm, exercise-induced, 71-73
- Brown-Sequard syndrome, 46-47
- Buddy-taping, 504-505
  - for thumb stability, 752
- Bunions, in runners, 473
- Burning hands syndrome, 47, 52
- Bursitis, about knee, corticosteroid therapy in, 553-555
  - rehabilitation following, 624
- of elbow, 450
- prepatellar, 190-191

- scapulothoracic, 436
  - subacromial, corticosteroids in, 545-546, 547
  - Caffeine, 564-565
  - Calf pain, in aging athlete, 900
  - Camelback sign, 263, 265
  - Cardiac emergencies, acute, in injured athlete, 81-90
  - Cardiac medications, in team physician's bag, 141
  - Cardiomyopathy, hypertrophic, in younger athletes, 81, 83
  - Cardiopulmonary conditioning, in rehabilitation of knee, 612-613
  - Cardiopulmonary resuscitation (CPR), team physician and, 139
  - Cardiovascular endurance, preseason conditioning for, 361, 362, 368-369
  - Cardiovascular examination, in preparticipation physical examination, 386-390
  - Carpal instability, 735
  - Carpal tunnel syndrome, corticosteroid therapy in, 550
  - Cartilage, patellar articular, disorders of, 191-192
  - Casts, protective, in hand and wrist injuries, 737
  - Cavus deformity, 471
  - Central cord syndrome, 46
  - Cervical collar, 498, 499
  - Cervical spine, assessment of, in injuries of neck, 21
    - injuries of, evaluation and treatment of, 691-701
      - immediate evaluation in, 49-54
      - in athlete, management of, 43-58
      - lower, serious, 692-693
      - nonserious, 693
      - return to participation following, 693-694
    - prevention of, 56-57
    - severe, management of, 693
    - treatment of, 55-56
    - upper, serious, 692
  - strain, mechanism of injury in, 694
    - physical examination in, 694-698
    - treatment of, 698-699
- Cervicomedullary injury, in football, 49
- Cheek, lacerations of, in oral cavity trauma, 29, 30
- Chest pain, in cocaine use, 136
- Chilblains, 115
- Cholinergic urticaria, 74
- Chondromalacia, 204-207
  - and instability, distinguishing from normals, 224
  - anterior knee pain in, 191-192
  - as controversial diagnosis, 205
  - following patellar subluxation, 158
  - in patellofemoral maltracking, 282, 332
- Chondromalacia patella syndrome, 206
- Clavicle, 635
- Cocaine, 561-562
  - biphasic effect of, 136
  - effects of, treatment of, 136
  - side effects of, 135-136
  - symptoms of use of, 135
  - use by athletes, 135
- Cold exposure injuries, predisposition to,
  - factors causing, 115
  - prevention and treatment of, 111-128
  - specific, 114-119
- Compartment syndrome, 464
  - in limb-threatening injuries, 105-106
  - of patellofemoral articulation, 336
- Competition, continued, in hand and wrist injuries, 734
- Compression syndrome, lateral, 158, 159-160
- Computed tomography, 522-523
  - in back pain in athlete, 67
  - in cervical spine injuries, 51-52
  - in head injuries, 7-8
  - in joint disease, 523-526
  - of patellofemoral joint, 241-245
  - of spine, 523, 524
- Computed tomography arthrography, 526-528
- Concussion, immediate management in, 5
  - in athlete, 3
  - in impact sports, 50
  - return to competition following, 6-8
- Conditioning, preseason, and injury prevention, 365-367
  - epidemiological studies in, 364-365
  - for cardiovascular endurance, 361, 362, 368-369
  - for flexibility, 361, 362-363, 369
  - for strength, 361, 363-364, 369-370
  - in preventing athletic injuries, 361-372
  - preseason evaluation in, 367-368
  - training techniques and, 368-370
- Connective tissues, stiffer, with age, 894
- Consciousness, loss of, in head injury, 2-3
- Contusions, evaluation and treatment of, 400-401
- Corticosteroids, complications of, 543-544
  - in elbow injuries, 548-549
  - in injuries of hip and thigh, 551-552
  - in injuries of wrist and hand, 549-550
  - in knee problems, 552-555
  - in shoulder conditions, 545-548
  - local, clinical use of, 544-545
  - pharmacology of, 541-543
- Coupling, 711-712
- Crack, 562-563

- Cranial vertex, impact to, spinal injuries in, 49
- Cromolyn sodium, in prevention of exercise-induced bronchospasm, 72-73
- Crown-root fractures, in oral cavity trauma, 35-36
- Cysts, synovial, occult or overt, 770-773
- Death, sudden. See *Sudden death*.
- Degenerative disc disease, 67
- DeQuervain's disease, 770-771
- Diagnostic procedures, special, 517-540
- Disc, activities causing high stresses to, 721
- intervertebral, transmissibility of loads by, 707-709
- Disc disease, 414-415
- Disc protrusions, 717
- Discogenic problems, 717-721
- in skeletally immature athlete, 64-65
- Dislocation(s), distinguishing fractures from, 102
- mechanism of, in patellar subluxation, 154
- of metacarpophalangeals, 741-747
- of phalanges, 741-747
- Diving, cervical spine injuries in, 44
- Drawer test, in knee problems, 455
- Drug abuse, cardiotoxicity in, 86
- Drug testing, 573-579
- Drug(s), banned by NCAA, 575, 576
- banned by USOC, 575-579
- chronic use of, 136-137
- in athletics, 561-582
- in team physician's medical bag, 140-143
- recreational, 134-136
- therapeutic misuse of, 133-134
- urinary excretion of, 574, 575
- use, among high school students, 129
- epidemiology of, 129-130
- used in particular sports, 133
- used to enhance performance, 130-133
- Drug-related emergencies, in athletes, 129-138
- treatment of, 132-133
- Ear, injuries of, evaluation and treatment of, 20
- Echocardiography, in hypertrophic cardiomyopathy, 83, 84
- Edema, control of, in injuries of hand and wrist, 733
- measurement of, in hand and wrist, 732
- pulmonary, high-altitude, 74-75
- Elbow, anatomy of, 439-442
- bony disorders of, 444-445, 446
- bursitis of, 450
- computed tomography of, 525
- geometry of, 442
- injuries to, bracing for, 502-504
- corticosteroids in, 548-549
- limb-threatening, 106, 107
- ligamentous injuries of, 446-448
- magnetic resonance imaging of, 532-533
- nerve lesions of, 449-450
- physical examination of, 442-444
- problems of, diagnosis and nonoperative treatment of, 439-451
- radiologic evaluation of, 519-520
- Elderly, preparticipation physical examination of, 376
- Electrical stimulation, in quadriceps femoris weakness, 825-828
- transcutaneous, in knee injuries, 813
- in overuse injuries, 769
- Elmslie technique, in patellar subluxation, 157-158
- Embolism, pulmonary, 76
- Endurance training, of thigh musculature, 833
- Environmental antigens, reactions to, in athletes, 76-77
- Ephedrine, 132
- Epicondylitis, 448-449
- corticosteroids in, 548-549
- Equestrian activities, injuries from vertical compression loading in, 704-705
- Equipment, in team physician's bag, 143-144
- Erb's point, compression injury to, 498-500
- Exercise(s), anaphylaxis induced by, 73-74
- bronchospasm induced by, 71-73
- considerations in, for aged athlete, 895-897
- flexibility, in rehabilitation of knee, 833-834
- in avulsion of flexor digitorum profundus, 751-755
- in hand rehabilitation, 733-734
- in injuries of throwing shoulder, 664-682
- in overuse injuries, 769-770
- in patellofemoral rehabilitation, 319-321
- in patellofemoral subluxation, 267-272, 275
- in quadriceps femoris weakness, 828-831
- isometric, heart in, 82
- quadriceps setting, 267
- straight leg raises, 268
- stretching, in patellofemoral subluxation, 270, 271
- types of, preparticipation physical examination and, 376
- Extensor carpi ulnaris tendon, recurrent subluxation of, 772
- Extensor mechanism, adolescent, stress injuries of, 343-355

- anatomy of, 163-177  
malalignment, primary and secondary, 297  
realignment, complications of, 294  
discussion of results of, 294-295  
following failed retinacular release, 291-296  
materials and methods for, 291-293  
results of, 293-294  
reconstruction, formal, 297-317  
patelloplasty in, 304, 305, 306  
postoperative management in, 314  
results of, 315  
steps in, 298-313  
stress injuries of, patient evaluation in, 343-344  
Eyebrow, injuries of, evaluation and treatment of, 16-17  
Eyelids, injuries of, evaluation and treatment of, 17
- Fabere test, in hip joint dysfunction, 794  
Face, injuries of, evaluation and treatment of, 20-21  
symmetry of, assessment of, in maxillofacial injuries, 14-15  
Facet joints, contact pressure effects of, 706-707  
Fairbanks sign, 263-266  
Fat pad syndrome, 468  
Femoropatellar dysplasia, 209-210  
Finger, "jammed", 504  
jersey, 751, 753  
mallet, 762-766  
trigger, 772-773  
Flatfoot, 866-867  
Flexibility, assessment of, in aged athlete, 898  
preseason conditioning for, 361, 362-363, 369  
Flexibility exercises, in rehabilitation of knee, 833-834  
Flexion and extension stresses, 705-706  
Flexion contractures, of knee, treatment of, 815-819  
Flexor carpi ulnaris tendinitis, 772  
Flexor digitorum profundus, avulsion of, 751-755  
Foods, and exercise, anaphylaxis induced by, 74  
Foot (feet), computed tomography of, 526  
injuries to, diagnosis, treatment, and rehabilitation of, 861-876  
limb-threatening, 106-108  
radiologic evaluation of, 522  
sensation, diminished, in aging, 900  
Football, abdominal trauma in, 96  
cervical spine injuries in, 43-44  
head injuries in, effects of, 7  
incidence of, 1, 2  
prevention of cervical spine injuries in, 56-57  
Forehead, injuries of, evaluation and treatment of, 16-17  
Fracture(s), bony, in oral cavity trauma, 29-34  
interphalangeal, proximal, rehabilitation of, 745  
mandibular, assessment of, 15-16  
maxillary, LeFort classification of, 15  
metacarpal, 743-745  
of thumb, 745-746  
nasal, evaluation and treatment of, 18-20  
of elbow, 444  
of hamate, 738-739  
of hand and wrist, treatment of, 746  
of metacarpophalangeals, 741-747  
of phalanges, 741-747  
of scaphoid, 737-738  
of spine, 416  
management of, 55-56  
painful patellar lesions in, 346-347  
stress, 873-875  
computed tomography of, 526  
Frostbite, etiology of, 116  
prevention of, 119  
refreezing following, 118  
sequence of events with, 116  
signs and symptoms of, 117  
stages of, 117  
treatment of, 117-119  
Frostnip, 114-115
- Gamekeeper's thumb, 505, 748-751  
Gastrointestinal medications, in team physician's bag, 141  
Glenoid labrum resection, arthroscopic, 682  
Glucocorticosteroids, in exercise-induced bronchospasm, 73  
Goniometry, in injuries of hand and wrist, 732  
Grass pollen, 77  
Grasshopper eye deformity, 262-263, 264  
Growth hormone, functions of, 567-568  
release of, 568  
use by athletes, 567
- Hallucinogens, 135  
Hamate, fractures of, 738-739  
Hamstrings, muscle strengthening of, 831-834  
stretching of, 834, 835  
in patellofemoral rehabilitation, 324-325

- Hand, and wrist, athletic injuries in, rehabilitation of, 731-776  
 athletic injuries of, stages of rehabilitation in, 774  
 fractures of, treatment of, 746  
 injuries to, bracing in, 504-507  
   corticosteroids in, 549-550  
   examination of joints in, 731-732  
   rehabilitation program in, 732-734  
   magnetic resonance imaging of, 532-533
- Hawkins test, in shoulder injuries, 424, 426
- Head, injury(ies), classification of, 2  
   getting "dinged", 3  
   in athletes, 1-9  
   incidence of, 1, 2  
   minor, 3-5  
   severe, 2-3
- Heart. See also *Cardiac*.  
   "athlete", 82  
   physiologic adaptation of, to exercise, 81-82
- Heart murmur, in young athletes, 387-390
- Heat, in overuse injuries, 767
- Heat exhaustion, 88
- Heat stroke, 88
- Heat (body), accumulation of, 88  
   conservation of, 112  
   generation of, 112  
   loss of, 88  
     by conduction, 113  
     factors reducing ability to compensate for, 120  
     to environment, 113  
   transfer, mechanisms of, 113
- Heel, pain in, etiologies of, 871
- Heel cords, 270-272
- Heel pain, in runners, 471-472
- Hemarthrosis, following retinacular release, 285
- High-altitude pulmonary edema, 74-75
- High-altitude sickness, medical problems associated with, 75
- Hip, dysfunction, 792-797  
   mechanism of, 793  
   pelvic obliquity and, 793  
   treatment of, 796-797  
   injuries to, corticosteroids in, 551-552  
   physical examination of, 794-795, 796  
   range of motion of, 793-794  
   rehabilitation of, 777-803
- Hip abductors, in patellofemoral subluxation, 268, 269, 270, 271
- Hip adductors, 268, 269
- Hip flexors, 268, 270
- Hip joints, computed tomography of, 525  
   radiologic evaluation of, 520-522
- Hip problems, in runners, 465
- History taking, in anterior knee pain, 179-180  
   in injuries of knee, 808-809  
   in lower-extremity injuries in runner, 461-462  
   in patellofemoral pain, 843-844  
   in preparticipation physical examination, 382-383  
   in shoulder injuries, 420-422
- Horse riding, abdominal trauma in, 96
- Humerus, recurrent dislocation of, 648-650
- Hydroxylapatite particles, in bony fractures, 90
- Hyperlordosis, techniques to decrease, 709
- Hypermobility, low back dysfunction and, 725  
   shoulder instabilities and, 646-650
- Hyperthermia, in athletes, 87-88
- Hypobaric hypoxia, 75
- Hypomobility, low back dysfunction and, 721-725  
   treatment of, 645-646
- Hypothermia, 119-127  
   air temperature and, 120  
   classification of, 120, 121  
   clinical course of, 121  
   clinical management of, 121-123  
   cold-water immersion, 125-126  
   emergency care in, 122  
   factors increasing risk of, 121  
   mild, 123  
   moderate, 123-124  
   prevention of, 126-127  
   severe, 124-125
- Ice, in overuse injuries, 767
- Iliac spine heights, posterior superior, palpation of, 780-781
- Iliotibial band friction syndrome, 555
- Immersion foot, 115
- Immobilization, in shoulder injuries, 648
- Implants, intraosseous, in bony fractures, 30, 31, 32
- Incision(s), in patellar subluxation, 157
- Incontinence, in aged athlete, 900
- Inflammatory disorders, of anterior knee, 188-191
- Infrapatellar contracture syndrome, following surgery of knee, 338-339
- Injections, and techniques in athletic medicine, 541-560
- Injuries, athletic, preseason conditioning to prevent, 361-372
- Inspection, in maxillofacial injuries, 14
- Instability, medial, stress views of patellofemoral joint and, 226-228
- Instability complex, in shoulder injuries, 429-435
- Interphalangeal fractures, proximal, rehabilitation of, 745
- Intervertebral disc, transmissibility of loads by, 707-709

- Intravenous fluids, in team physician's bag, 141
- Isokinetics, in knee rehabilitation, 611  
in quadriceps femoris weakness, 828-830  
preseason conditioning and, 367-368
- Isotonic exercises, in rehabilitation of knee, 611-612
- Jersey finger, 751, 753
- Joint disease, computed tomography in, 523-526
- Joint pain, in aged athlete, 898-899
- Joints, examination of, in injuries of hand and wrist, 731-732  
proximal interphalangeal, injuries of, 760-761, 762
- Jumper's knee, 467-468
- Kidney, damage to, in abdominal trauma, 94-95  
function, in aging, 895
- Kienbock's disease, 739-740, 741
- Knee, aggressive passive extension of, contraindications to, 819  
anterior, inflammatory disorders of, 188-191  
anterior cruciate deficient, rehabilitation of, 834  
Documentation Committee, International, 457-458  
flexion, 819-823  
increased, treatment of, 820-823  
measurement of, 819-820  
flexion contractures of, treatment of, 815-819  
in patellofemoral subluxation, 262  
injuries to, aspirate in, as diagnostic marker, 813  
bracing for, 507-511, 512  
diagnosis of, 805-809  
history taking in, 808-809  
limb-threatening, 106, 108  
Lysholm Knee Scoring Scale in, 809, 810  
mechanism of, 807  
physical examination in, 809-811  
rehabilitation of athlete with, 805-840  
signs and symptoms of, 806, 807  
swelling in, 809-811  
treatment of, 811-813  
isolated soft-tissue injuries about, rehabilitation of, 623-624  
magnetic resonance imaging of, 529-531  
muscle reconditioning, 609-612  
muscles of, strengthening of, 823-825  
neuromuscular training and, 609  
palpation of, in anterior knee pain, 182-183  
problems of, corticosteroid therapy in, 552-555  
diagnosis of, 453-457  
and documentation of, 453-459  
in runners, 466-470  
range of motion of, 813-823  
extension, 813-819  
measurement of, 814-815  
rehabilitation of, 605-627  
and cardiopulmonary conditioning, 612-613  
early phase of, 620-621  
immediate postoperative, 619-620  
intermediate phase of, 621-622  
late phase of, 622-623  
perioperative phase of, 616-619  
program for, 613-616, 617, 618  
surgical and rehabilitation protocols, scientific basis for, 606-613  
tendinitis and bursitis of, rehabilitation following, 624
- Knee flexion test, prone, in sacroiliac joint dysfunction, 780
- Knee joint, mobilization of, 608-609  
radiologic evaluation of, 522
- Knee pain, anterior, adolescent, 332  
diagnosis of, 179-195  
history taking in, 179-180  
in fat pad inflammation and fibrosis, 189-190  
in patellofemoral instability, 185-186  
physical examination in, 181-184  
radiographs in, 184-185  
in runners, 466-470
- Lachman test, in knee problems, 455
- Larynx, assessment of, in injuries of neck, 21-22
- Lateral compression syndrome, 158, 159-160
- LeFort classification, of maxillary fractures, 15
- Leg, lower, injuries of, diagnosis, treatment, and rehabilitation of, 861-876
- Leg-length disparity, in sacroiliac joint dysfunction, evaluation of, 790-791  
treatment of, 791-792
- Ligament, patellofemoral, 172-173
- Ligamentous stability, assessment of, in limb-threatening injuries, 102
- Limb-threatening injuries, in sport, 101-109  
initial management in, 102-103  
management of, in definitive care facility, 103-105  
postreduction problems in, 105-106  
prognosis in, 106-108

- Lips, lacerations of, in oral cavity trauma, 28-29
- Liver, damage to, in abdominal trauma, 94
- Low back dysfunction, rehabilitation of athlete with, 717-729
- Low back injuries, in athletes, classification of, 728
- Low back pain, biomechanical considerations for clinical application in, 703-715  
causes of, 59  
conservative treatment in, 703  
discogenic basis for, 712-713  
equestrian activities and, 704-705  
in flexion and extension stresses, 705-706  
in mature athlete, 67-68  
in musculoskeletal imbalance, 65-66  
in skeletally immature athlete, 59-67  
incidence of, 703
- Lower extremity, injuries of, 464-470  
in runner, evaluation and treatment of, 461-475
- Lumbar spine, load transmission effects, 704-705  
muscles of, 710  
symptomatic, in athlete, 59-69
- Lumbosacral corset, 501
- Lunate, aseptic necrosis of, 739-740, 741
- Lysholm Knee Scoring Scale, in knee injuries, 809, 810
- Magnetic resonance imaging, 528-534  
in back pain in athlete, 67  
in cervical spine injuries, 52, 53, 54  
in head injuries, 7-8  
of ankle, 533  
of elbow, wrist, and hand, 532-533  
of knee, 529-531  
of patellofemoral joint, 254  
of shoulder, 531-532  
of spine, 533  
technical considerations in, 529
- Mallet finger, 762-766
- Mandible, fractures of, assessment of, 15-16
- Marfan's syndrome, 83-84, 85  
risk to athletes in, 84  
screening for, 393
- Marijuana, 135, 566  
effects of chronic use of, 136-137
- Maturity staging guidelines, 390-391
- Maxilla, fractures of, LeFort classification of, 15
- Maxillofacial injuries, and neck soft-tissue injuries, 11-23  
evaluation of, 12-16  
and treatment of, 16-21
- McMurray's test, in knee problems, 457
- Median nerve compression, 773
- Medical bag, of team physician, 139-146
- Meniscopatellar ligament, 173-174
- Metacarpal fractures, 743-745  
of thumb, 745-746
- Metacarpophalangeals, fractures and dislocations of, 741-747
- Metatarsalgia, 472
- Metatarsophalangeal joint subluxation, 473
- Mini-thumb spica cast, 505
- Mitral valve prolapse, sudden death in, 86  
symptoms of, 86
- Morton's neuroma, 559
- Mouth. See *Oral cavity*.
- Mouth guards, for prevention of injuries to oral cavity, 40
- Movement, examination of, in shoulder injuries, 637
- Muscle imbalances, in sacroiliac joint dysfunction, 784-787  
treatment of, 788-790
- Muscle mass, reduced, in aging, 893-894
- Muscle relaxants, in team physician's bag, 141
- Muscle tears, magnetic resonance imaging in, 533-534
- Muscle testing, manual, in injuries of hand and wrist, 732
- Muscles, of knee, strengthening of, 823-825  
of lumbar spine, 710  
of thigh, injuries to, 797  
strain of, 797-799  
strength of, assessment of, in aged athlete, 897-898
- Muscular problems, in low back area, 725-728
- Musculoskeletal imbalance, in skeletally immature athlete, 65-67
- Musculoskeletal physical examination, 391
- Myocarditis, sudden death in, 86
- Myofeedback, in quadriceps femoris weakness, 828
- Neck, injuries of, bracing for, 498-500  
injury, acute, evaluation of, 691-692  
soft-tissue injuries of, and maxillofacial injuries, 11-23  
evaluation of, 21-22
- Nerve compression syndromes, 773-774
- Nerve entrapment, in runners, 472
- Nerve root, irritation, mechanism of, 699  
physical examination in, 700  
treatment of, 700
- Nerve(s), facial, anatomy of, 13-14  
of elbow, lesions of, 449-450
- Neuropsychological abnormalities, following several head injuries, 7
- Neuropsychological testing, in head injury, 4, 7-8
- Nose, injuries of, evaluation and treatment of, 18-20

- Office practice in sports medicine, 361-627
- Ophthalmic injury kit, of team physician, 141-142
- Oral cavity, trauma to, 25-41
- evaluation of injuries in, 26-28
- incidence and etiology of, 25
- prevention of, 39-40
- soft-tissue injuries in, 28-29
- Orbit, blowout fracture of, 19
- Orthopedic surgeon, in limb-threatening injuries, 105
- Orthotics, for runners, 473-474
- Osgood-Schlatter's disease, 352-353
- Osseous fragment, detached, axial view of patellofemoral joint in, 225
- Osteoarthritis, increased incidence of, in aging, 894
- Osteochondritis dissecans, 445
- Overuse injuries, of shoulder, rehabilitation of, 583-603
- rehabilitation of, 766-767
- soft-tissue, 766-770
- Oxygen, as ergogenic drug, 132
- Pad, poroplastic felt knee cap, 261, 262
- Pain, in blunt abdominal trauma, 92
- in chest, in cocaine use, 136
- in joints, in aged athletes, 898-899
- in knee. See *Knee pain*.
- in shoulder injuries, 421-422, 423-424
- patellar, in adolescent athletes, 346
- patellofemoral. See *Patellofemoral pain*.
- patellotibial, palpation of soft tissues in, 199
- Pain relievers, in team physician's bag, 142
- misuse of, by athletes, 133-134
- Palpation, in shoulder injuries, 644
- Palsy, peroneal, following patellar subluxation, 158
- Pancreas, in abdominal trauma, 95
- Parotid duct, anatomy of, 13, 14
- Pars interarticularis defects, in skeletally immature athlete, 61-62
- Pars stress reaction, in skeletally immature athlete, 59-60
- Patella, anatomy of, 163-168
- anteroposterior view of, 211
- axial view of, 213-217
- bone scans of, 251-253
- complications of, in total knee arthroplasty, 336-338
- distal pole of, stress injuries of, 348-352
- distal reconstruction of, in patellar subluxation, 157
- hypermobility of, prevention of, 172
- incisions adjacent to, 169
- instability of, indices and, 210
- lateral dislocation of, 172
- lateral view of, 211
- length of, 155-156
- muscle and retinaculum around, anatomy of, 197-199
- soft-tissue pair, around, pathogenesis of, 200-201
- soft-tissue structures around, examination of, 199-200
- SPECT scan of, 252-253
- trauma to, 193
- Patella alta, 169
- determination of, 211-213
- Patella apprehension test, in knee problems, 456-457
- Patella baja, 169, 170
- of patellofemoral articulation, 335-336
- Patella infra, following surgery of knee, 339
- Patellar articular cartilage, disorders of, 191-192
- Patellar compression syndrome, 467
- Patellar pain, in adolescent athletes, 346
- Patellar subluxation, 153-162
- books in, 160
- clinical signs of, 153-154
- distal reconstruction in, 157
- Elmslie technique in, 157-158
- lateral compression syndrome in, 158, 159-160
- lateral release in, 159
- Maquet procedure in, 160
- mechanism of dislocation in, 154
- operation in, 157-158
- operative incision in, 157
- preoperative rehabilitation in, 156
- radiographic evaluation in, 154-156
- treatment of, 291
- Patellar tendinitis, 467
- Patellar tendon, transplant of, in extensor mechanism reconstruction, 306-307, 308, 309
- Patellar tracking, 182
- Patellofemoral biomechanics, 322-323
- Patellofemoral contact force, 169
- Patellofemoral degenerative disease, 192-193
- Patellofemoral dysfunction, in athlete, rehabilitation of, 841-860
- Patellofemoral instability, anterior knee pain in, 185-186
- Patellofemoral joint, anarthrotic disorders of, role of radiography in, 203-260
- anteriorization of tubercle and, 255-256
- anteroposterior view of, 211
- arthrography of, 233-240
- arthroscopy versus radiography of, 145-146
- axial view of, 213-217
- for detached osseous fragment, 225
- computed tomography of, 241-245
- congruence angle and, significance of, 222-224

- Patellofemoral joint (Continued)**  
 conventional radiography of, 210-222  
   problem with, 240-241  
   to segregate clinical diagnoses, 222-224  
 disorders of, indices of, 207-210  
 distal realignment of, 335-336  
 dynamic axial radiography of, 225, 226  
 dynamics of, influences upon, 229-233  
 injuries, rehabilitation following, 624  
 lateral view of, 211  
 Laurin technique for viewing, 219-222  
 magnetic resonance imaging of, 254  
 Merchant technique for viewing, 217-219  
 proximal realignment of, 333-335  
 Q-angle and, 232-233  
 radiography of, pre- and postoperative correlations of, 246-251  
 rotational problems of, 229-232  
   stress views of, and medial instability, 226-228  
 surgical complications of, 331-342
- Patellofemoral pain, analysis of information in, 845-846**  
 biomechanical malalignment in, 847  
 differential diagnosis of, 280-281  
 evaluation of, 843  
 history taking in, 843-844  
 in patellofemoral articulation, 332  
 indications for retinacular release in, 281-282  
 patient education in, 857-859  
 peripatellar soft tissues and retinaculum in, 197-202  
 physical examination in, 844-845  
 soft-tissue imbalances in, 846-847  
 theories of, 841-842  
 treatment of, conservative, 842-843  
   extrinsic support in, 857  
   strengthening in, 850-857  
   stretching in, 848-850, 851  
   surgical, 843
- Patellofemoral problems, 153-355**
- Patellofemoral rehabilitation, 319-329**  
 exercise in, 319-321  
 general aspects of, 323-328  
 nonoperative, 323-325  
   operative, 325  
 patellofemoral biomechanics and, 322-323
- Patellofemoral stress distribution, 163, 165**
- Patellofemoral subluxation, alteration of activities in, 273-274**  
 braces in, 272-273  
 complications of exercise in, 275-276  
 conservative treatment of, 261-275  
 exercise maintenance program in, 275  
 exercise regimen in, 267-272, 275  
 physical examination in, 262-266  
 treatment modalities in, 274
- Patelloplasty, in extensor mechanism reconstruction, 304, 305, 306**
- Patellotibial ligament, 172-173**
- Patellotibial pain, palpation of soft tissues in, 199**
- Patricks test, in hip joint dysfunction, 794**
- Pelvis, computed tomography of, 525**  
 injuries to, 777-792  
   problems of, in runners, 465  
   rehabilitation of, 777-803
- Peripatellar soft tissues and retinaculum, in patellofemoral pain, 197-202**
- Peripatellar synovitis, 467**
- Peritendinitis, 863**
- Peritoneal lavage, in abdominal trauma, 93**
- Peroneal nerve palsy, of patellofemoral articulation, 336**
- Peroneal palsy, following patellar subluxation, 158**
- Phalanges, fractures and dislocations of, 741-747**
- Phencyclidine, 135**
- Phenylpropanolamine, 132, 564**
- Physical examination, in anterior knee pain, 181-184**  
 in cervical spine strain, 694-698  
 in knee injuries, 809-811  
 in lower-extremity injuries in runner, 462-463  
 in nerve root irritation, 700  
 in patellofemoral pain, 844-845  
 in patellofemoral subluxation, 262-266  
 in sacroiliac joint dysfunction, 778-781  
 in shoulder injuries, 422-428  
 of elbow, 442-444  
 of hip, 794-795, 796  
 preparticipation. *See Preparticipation physical examination.*
- Pivot shift test, in knee problems, 456**
- Plantar fasciitis, 558, 871-873**
- Plica, synovial, 186-188**
- Plica syndrome, 254-255**
- Pneumothorax, spontaneous, 76**
- Pole lesions, proximal, of adolescent athletes, 344-346**  
 stress, of distal patellar pole, 348-352
- Pollens, allergy-causing, association with athletics, 77**
- Poroplastic felt knee cap pad, 261, 262**
- Position(ing), for evaluation of patellar subluxation, 155**
- Posterior tibial syndrome, 471**
- Posture, examination of, in shoulder injuries, 637**
- Preparticipation physical examination, 373**  
 assessment following, 393-396  
 content of, 382-391  
 factors affecting, 375-377  
 form, 384-385  
 frequency of, 379-382  
 implementation of, 377-379  
 objectives of, 374-375

- timing of, 382  
 validity of, 373-374  
 Preparticipation screening, of potential athlete, 373-397  
 Prepatellar bursitis, 190-191  
 Prepubescent athlete, preparticipation physical examination of, 375  
 Proximal interphalangeal joint, acute dorsal dislocations of, 760, 761  
     collateral ligaments, injuries of, 761, 762  
     injuries of, 760-761, 762  
 Pseudoboutonniere deformity, 759  
 Pubescent athlete, preparticipation physical examination of, 375-376  
 Pulmonary edema, high-altitude, 74-75  
 Pulmonary embolism, 76  
 Pulses, assessment of, in limb-threatening injuries, 103
- Q-angle, and patellofemoral joint, 232-233  
     in extension, 170-172  
     in flexion, 171, 172  
 Quadriceps contusion, treatment of, 800  
 Quadriceps femoris, assessment of, 824-825  
     strengthening of, 823-825  
     weakness of, treatment of, 825-831  
 Quadriceps setting exercise, 267  
 Quadriceps tendinitis, of adolescent athletes, 344
- Radiograph(s), plain, 517-518  
 Radiologic evaluation, conventional, of patellofemoral joint, 210-224, 240-241  
     dynamic axial, 225, 226  
     in shoulder injuries, 428-429  
     in acute ankle sprains, 482-485  
     in anarthrotic disorders of patellofemoral joint, 203-260  
     in anterior knee pain, 184-185  
     in hypertrophic cardiomyopathy, 83  
     in limb-threatening injuries, 103  
     in low back pain in athlete, 60  
     in patellar subluxation, 154-156  
     in patellofemoral subluxation, 267  
     in spinal injuries, 51  
     of adolescent with patellar pain, 346, 347  
     of ankle joint, 522  
     of elbow, 519-520  
     of foot, 522  
     of hip joints, 520-522  
     of knee joint, 522  
     of patellofemoral joint, pre- and postoperative correlations of, 246-251  
     of shoulder, 519  
     of wrist, 520, 521  
     versus arthroscopy, of patellofemoral joint, 245-246
- Radionuclide imaging, 534-535, 536  
 Rectus femoris, stretching of, 834  
 Reflex sympathetic dystrophy, following retinacular release, 286  
     of knee, 338  
 Rehabilitation, 633-901  
     definition of, 319  
 Rehabilitation program, in injuries of hand and wrist, 732-734  
 Relocation test, in shoulder injuries, 426, 427  
 Respiratory emergencies, acute, in injured athlete, 71-79  
 Retinacular release, lateral, complications of, 285-287  
     failed, approach to, 288  
     extensor mechanism realignment following, 291-296  
     indications for, 281-282  
     pitfalls of, 279-290  
     principles of, 279-280  
     procedure for, 282-283  
     procedures after, 287-288  
     results of, 283-285  
 Retinaculum, peripatellar, in patellofemoral pain, 197-202  
 Retropatellar pain syndrome, rehabilitation program in, 624  
 Reverse pivot shift test, in knee problems, 456  
 Rolando's fracture, 746  
 Root fractures, initial treatment of, 34-35  
 Rotator cuff, repair of, guidelines for rehabilitation following, 683  
 Rotator cuff tears, rehabilitation in, 653-654  
 Rugby, abdominal trauma in, 96  
 Runner, lower-extremity injuries in, evaluation and treatment of, 461-475  
 Running, biomechanics of, 463
- Sacroiliac joint, dysfunction, 777  
     mechanism of, 778  
     physical examination for, 778-781  
     prevention of, 783-792  
     treatment of, 781-783  
     mechanism of injury to, 777  
 Scalp, injuries of, evaluation and treatment of, 16  
 Scaphoid, fractures of, 737-738  
     rotary subluxation of, 736  
 Scapholunate disassociation, 736  
 Scapula, forces acting on, 634-635  
 Scapulohoracic articulation injuries, corticosteroids in, 547-548  
 Scapulohoracic bursitis, 436  
 Scheuermann's disease, 413-414  
     atypical, 414  
     lumbar, in skeletally immature athlete, 64-65, 66

- Scoliosis, evaluation and treatment of, 409-412
- Screening, in identification of athletes at risk for cardiac emergencies, 82-83  
preparticipation, of potential athlete, 373-397
- Sesamoiditis, 473
- Shin splints, 464  
corticosteroid therapy in, 555-556
- Shoulder, anatomy of, 584-585, 586, 633  
anterior, reconstruction of, 684  
biomechanical considerations and, 585-586  
computed tomography of, 525  
computed tomography arthrotomography of, 527-528  
contractile tissue lesions of, 650-654  
corticosteroid therapy of, 545-548  
examination of, 588-589  
force couple system, 586-588  
impingement, release in, 683  
impingement sign, 588  
injuries of, bracing for, 502, 506  
common, rehabilitation of, 633-656  
diagnosis and nonoperative treatment of, 419-438  
diagnostic tools in, 420-429  
examination in, 636-644  
instabilities of, and hypermobility, 646-650  
magnetic resonance imaging of, 531-532  
overuse injuries of, rehabilitation of, 583-603  
signs and symptoms of, 589  
treatment of, 589-602  
pathomechanics of, 585-586  
radiologic evaluation of, 519  
tendinitis of, 650-653  
throwing, off-season conditioning of, 686  
rehabilitation of, 657-689  
goals and general principles of, 658  
phases of, 658  
throwing injuries of, anterior shoulder reconstruction in, 684  
arthroscopic glenoid labrum resection in, 682  
diagnosis of, 658-662  
exercises in, 664-682  
impingement release in, 683  
initial treatment of, 662-664  
pathophysiology of, 662  
return to throwing following, 685, 687, 688  
rotator cuff repair in, 683  
warm-up techniques following, 684-685
- Shoulder throwing program, progressive, 688
- Shoulder worksheet, 660-661
- Sinus tarsi syndrome, 861-863
- Skiing, downhill, abdominal trauma in, 97
- Skin necrosis, of patellofemoral articulation, 336
- Sledding, abdominal trauma in, 97
- Soft tissues, around patella, pain in, pathogenesis of, 200-201  
imbalances of, in patellofemoral pain, 846-847  
overuse injuries of, 766-770  
palpation of, in patellotibial pain, 199  
peripatellar, in patellofemoral pain, 197-202
- SPECT scan, of patella, 252-253
- Spinal cord injury, syndromes of, 45-49
- Spinal cord syndrome, anterior, 46
- Spinal stabilization, in cervical spine injuries, 55
- Spine, and trunk problems, evaluation and treatment of, 399-417  
cervical. *See Cervical spine.*  
computed tomography of, 523, 524  
extension and flexion of, extreme, 709-711  
fractures of, 416  
management of, 55-56  
lumbar. *See Lumbar spine.*  
magnetic resonance imaging of, 533  
tumors in and about, 415-416
- Spleen, injury to, in abdominal trauma, 93-94
- Splints, in mallet finger injury, 763, 765, 766  
in soft-tissue overuse injuries, 767  
in team physician's bag, 144
- Spondylolisthesis, causes of, 62  
evaluation and treatment of, 406-409  
formulation of treatment plan for, 62-63  
progressive displacement of, 63  
treatment of, 63-64
- Spondylolysis, evaluation and treatment of, 401-406  
in skeletally immature athlete, 61-62
- Sport Cord Test, 622-623
- Sprains, of ankle. *See Ankle, sprains of.*
- Standing flexion test, in sacroiliac joint dysfunction, 778, 779
- Sternoclavicular joint, computed tomography of, 525
- Steroids. *See also Corticosteroids.*  
anabolic, mechanism of action of, 570  
side effects of, 130-131, 570-572  
signs of use of, 131-132  
use by athletes, 130, 569
- Stimulants, 561-565  
use by athletes, 132
- Straight leg raises, 268
- Strains, evaluation and treatment of, 399-400
- Strength, measurement of, in injuries of hand and wrist, 732-733  
preseason conditioning for, 361, 363-364, 369-370

- Stress avulsion injury, in adolescent athletes, 353
- Stress distribution, patellofemoral, 163, 165
- Stress factors, 464-465
- Stress fractures, 873-875
- Stress injuries, of adolescent extensor mechanism, 343-355
- Stress testing, in aged athlete, 898
- Stress views, of patellofemoral joint, and medial instability, 226-228
- Stretching exercises, in patellofemoral subluxation, 270, 271
- Subacromial bursitis, corticosteroids in, 545-546, 547
- Subluxation, patellar. *See* *Patellar subluxation*.
- patellofemoral. *See* *Patellofemoral subluxation*.
- Sudden death, athletes at risk for, noninvasive screening in, 89
- in arrhythmias, 87
- in athlete heart, 82
- in cardiovascular abnormalities, 81
- in healthy athletes, 387, 388
- in hyperthermia, 87-88
- Supine long sitting test, in sacroiliac joint dysfunction, 778-780
- Support systems, functional external, 497-498
- prophylactic, 497
- Surgery, of patellofemoral articulation, complications of, 331-342
- Synovial cysts, occult or overt, 770-773
- Synovial plica, 186-188
- Synovitis, peripatellar, 467
- Team physician, medical bag of, 139-146
- Technetium bone scan, in low back pain in athlete, 60
- Temporomandibular joint trauma, in oral cavity trauma, 39
- Tendinitis, 866, 867
- about knee, rehabilitation following, 624
- biceps, 435-436
- flexor carpi ulnaris, 772
- near wrist, 770
- of anterior knee, 188-190
- of shoulder, 650-653
- patellar, 467
- Tendon, patellar, transplant of, in extensor mechanism reconstruction, 306-307, 308, 309
- Tendon injuries, 863-867
- Tendonosis, 865
- Tennis elbow, 448-449
- Tenosynovitis, 863-864, 865-866
- of dorsal compartments, 772
- Tensor fascia lata/iliotibial band, stretching of, 834, 836, 837
- Tests, in shoulder injuries, 641-644
- Theophylline, in exercise-induced bronchospasm, 73
- Thermoregulation, 112-114
- Thigh, injuries to, 797-800
- corticosteroids in, 551-552
- muscle contusion of, 799-800
- muscle injuries to, 797
- muscle strain of, mechanism of, 797
- physical examination of, 797-798
- treatment of, 798-799
- musculature, endurance training of, 833
- problems of, in runners, 465-466
- rehabilitation of, 777-803
- Thrombosis, deep venous, following retinacular release, 285
- Throwing program, interval, 687
- shoulder, progressive, 688
- Thumb, gamekeeper's, 748-751
- Thumb metacarpal fractures, 745-746
- Tibial tubercle, anteriorization of, 255-256
- nonunion of, 335
- Tomography, 518
- Tooth (teeth), avulsions of, in oral cavity trauma, 38-39
- fractures of, 34-36
- luxation of, 36-38
- Traction, cervical, in cervical spine injuries, 55
- Training techniques, preseason conditioning and, 368-370
- Transcutaneous electrical stimulation, in knee injuries, 813
- in overuse injuries, 769
- Transient ischemic attacks, in cervical spine injuries, 47-48
- Transport, in spinal injuries, 50
- Trench foot, 115
- Trigger fingers, 772-773
- Tubercle, tibial, anteriorization of, and patellofemoral joint, 255-256
- nonunion of, 335
- Turf toe, 558
- Ulnar nerve compression, 773-774
- Ultrasound, in overuse injuries, 767-769
- Urticaria, cholinergic, 74
- Varus-valgus testing, in knee problems, 455
- Vastus lateralis, 174
- Vastus medialis, 174, 175
- Vastus medialis obliquus, advancement of, in extensor mechanism reconstruction, 307-312
- Vertebra, displacement of ring apophysis of, into spinal canal, 64

- Walking cast, short leg, 512, 513
- Water, body, decreased, in aging, 895
- Water skiing, abdominal trauma in, 97
- Water sports, cervical spine injuries in, 44
- Weights, to increase quadriceps femoris strength, 830-831
- Wolff-Parkinson-White syndrome, 87
- Wrist, athletic injuries of, stages of rehabilitation in, 774
  - computed tomography of, 525
  - fractures of, treatment of, 746
  - hand and, athletic injuries in, rehabilitation of, 731-776
- injuries to, 734-739
  - corticosteroids in, 549-550
  - examination of joints in, 731-732
  - rehabilitation program in, 732-734
  - magnetic resonance imaging of, 532-533
  - radiologic evaluation of, 520, 521
  - tendinitis near, 770
- Wrist splint, 506
- Young adults, post-pubescent, preparticipation physical examination of, 376

